

MAESTROLOTO

SKU:MLH01

- **CATEGORY:** Gate Valve Lock Hand Wheel Globe Valve Lock
- **Material:** Engineering Plastic ABS
- **Dimension:**1"-2.5" (25mm – 64mm)
- **Color:** Red
- **Quantity:** Pcs



Product Features)

- Gate valve locks are suitable for valve handles with diameters from 25mm to 635mm and are used around the valve operating handle to prevent accidental opening of the valve.
- The strong, lightweight, insulated thermoplastic housing withstands chemicals and operates effectively in extreme conditions.
- Includes high-visibility permanent security labels.

Product Description

- Made of engineering plastic ABS.
- It is specially designed for locking gate valves with a handwheel diameter of 25mm-635mm.
- MLH01-H05 adopts the same size semi-circular design, which can realize a safety padlock with a lock beam diameter of $\leq 7\text{mm}$.
- Appearance: red, other colors need to be customized. Warning labels are available in English.
- Transparent style can be customized, made of engineering plastic PC, high temperature resistance, impact resistance.

Product Dimension

Lock body color	red
diameter	To be measured
Lock height	To be measured
Lock width	To be measured
Lock body material	Engineering plastic ABS
Valve handwheel diameter range	25mm-635mm
Maximum operating temperature	148°C
Minimum operating temperature	-40°C
Maximum number of padlocks	1 pc
Maximum usable lock beam diameter	7mm
Lock type	Split
Label description	Danger Locked Please do not remove
Label language	Chinese and English

wrap	Plastic bag + carton packaging
Type of risk	Mechanical risk